

In Figure 3, please insert the omitted reference number "12" at the indicated positions.

In Figure 5, please change the reference number from "254" to -360--.

In Figure 6, please change the reference number from "254" to -360--.

In Figure 7, please change the reference number from "254" to -360--.

In Figure 8, please change the reference number from "206" to -204--, and from "426" to -424--. Please change one of the reference number from "428" to -430-- at the indicated position, and one of the reference number from "430" to -428-- at the indicated position.

In Figure 10A, please insert reference number "254" at the indicated position. Please change one of the reference number from "434" to -424-- at the indicated position.

In Figure 10B, please insert reference number "254" at the indicated position. Please change one of the reference number from "434" to -424-- at the indicated position.

In Figure 10F, please insert reference symbol "B" at the indicated positions to indicate planar B.

In Figure10G, please insert reference symbol "B" at the indicated positions to indicate planar B.

In Figure 10O, please insert reference symbol "B" at the indicated positions to indicate planar B.

In Figure 13, please change the number of the track from "704" to -705-- at the indicated position.

REMARKS

The drawings have been amended to correct typographical errors in reference numbers and symbols. Figure 1, as amended, includes deletion of the reference number "12" due to typographical error.

Figure 3, as amended, includes the omitted reference number "12" at the indicated positions, which is described in the specification at least at page 9, lines 25-








Fig. 1 (PRIOR ART)













Fig. 7























Fig. 13